C-Dax Spread Range

2010

C-DIT300

The C-Dax C-DIT300GT is the most popular 300 Litre trailed broadcast spreader available. It is designed for all pastoral spreading applications and boasts some key C-Dax features which enable it to consistently out-perform other alternatives.

The unique spinner design enables a wider and more even 18m spread pattern (based on Urea at 10kph) to make your spreading more time efficient. Extra convenience has been introduced via the single lever to operate both the clutch and delivery shutter simultaneously. The heavy-duty clutch is fully enclosed for maximum protection.

Designed with a low centre of gravity and a robust fully galvanised frame to ensures maximum stability on uneven terrain, while the low sided hopper makes for easy filling. Nine application rates are available to suit your choice of application.

SPECIFICATIONS:

- 300 Litre capacity hopper (250kg Urea)
- 18m spread width (Urea at 10kph)
- Low sided hopper for easy filling
- Nine application rate settings
- Applies up to 140 kg/ha (Urea at 10kph)
- Single lever clutch system
- Weight: 85kg empty

COMES WITH:

- Shower proof hopper cover
- Flotation style tyres
- Mudguards as standard
- Heavy-duty clutch

1. Unique spinner disc design

Specifically designed spinner disc enables a wider and more even broadcast pattern

2. Low centre of gravity

Unique hopper and frame design ensures a low centre of gravity for maximum stability when working on uneven terrain.

3. Single lever clutch and shutter operation

Unique single-lever design operates both the clutch and delivery mechanisms simultaneously.

C-DIT400

The C-Dax C-DIT400GT is a 'super' heavy-duty 400 Litre broadcast spreader suitable for all pastoral situations. It incorporates a variety of unique C-Dax features that allow it to consistently outperform other alternatives.

The unique spinner design enables a wider and more even 18m spread pattern (based on Urea at 10kph) to make your spreading more time efficient. Real convenience comes from the single lever to operate both the clutch and delivery shutter simultaneously. The heavy-duty clutch is fully enclosed for maximum protection.

Designed with a low centre of gravity, super strong tubular frame, and wide wheel base to ensure maximum stability on uneven terrain, while the low sided hopper makes for easy filling. Nine application rates are available to suit your choice of application.

The fully moulded shroud protects the spinner, while the moulded cover ensures your fertiliser isn't compromised by unexpected weather conditions.

SPREAD

SPECIFICATIONS:

- 400 Litre capacity hopper (320kg Urea)
- 18m spread width (Urea at 10kph)
- Nine application rate settings
- Applies up to 140 kg/ha (Urea at 10kph)
- Weight: 110kg empty

COMES WITH:

- Rigid one-piece hopper cover
- Mudguards
- Knobbly tyres
- Swivel tow-hitch
- Clutch

1. **The toughest ATV spreader—ever!**
   Super heavy-duty tubular steel is the toughest available.
2. **Lowest centre of gravity available**
   Unique hopper design ensures the lowest centre of gravity available in a 400 Litre spreader
3. **Single lever clutch and shutter operation**
   Unique single-lever design operates both the clutch and delivery mechanisms simultaneously.
4. **Rigid one-piece hopper lid**
   Protects material from getting wet in the event of an unexpected shower or from being blown out of the hopper.

MagMaster

The C-Dax MagMaster is the only trailed spreader designed specifically for spreading magnesium based materials with our unique stainless spinner. A wide wheel track provides stability on uneven terrain, while the 65 litre hopper can carry enough magnesium for 800 cows. Five application rates are available to suit your particular requirements and the spread width covers 3m each run to make sure your time is used efficiently.

A galvanised and robust frame features a fully moulded spinner shroud to minimise drift onto the tow vehicle and operator.

SPECIFICATIONS:

- 65 Litre hopper capacity
- Notional 3m spread width (at 10kph)
- Five application rate settings (from 1.3–13g per sq/m)
- Dimensions:
  Height 1250mm; Width 1300mm
- Weight: 62kg empty

COMES WITH:

- Snap-shut hopper lid
- Protection shroud
- Galvanised frame
- Mudguards

SPREAD

1. **Designed specifically for Magnesium spreading**
   The MagMaster is the only spreader designed specifically for Magnesium.
2. **Aggressive agitation prevents 'bridging'**
   Purpose designed stainless steel agitator prevents 'bridging' and ensures a consistent flow of material to the spinner disc.
3. **Unique spinner disc**
   'Smart' design of the spinner and vanes direct the magnesium dust towards the ground.
4. **Wide shroud keeps dust off operator and ATV**
   Purpose built shroud minimises the amount of Magnesium that drifts onto the operator and ATV.

SpreadMaster

The C-Dax SpreadMaster is a versatile general purpose 12-volt broadcast spreader that is suitable for a wide range of spreading and seeding applicatons.

Features a simple and effective shutter system with delivery rate and spread centering controls. With a 70 litre capacity and a spread width of 15m (based on Urea at 10kph) the SpreadMaster ensures you can get your job done quickly and efficiently.

Easily mounted on the back of your ATV using the C-Dax Quick Smart Frame system *(see page 16 for details)*.

SPECIFICATIONS:

- 12-volt
- 70 Litre capacity hopper (60kg Urea)
- 15m spread width (Urea at 10kph)
- Applies up to 50kg/ha (Urea at 10kph)
- Weight: 28kg empty

COMES WITH:

- Wiring loom
- Remote mounting on/off switch
- Snap shut hopper lid

NB: Does not come with QuickSmart Attachment Frame or Upright Mounts for Spreaders

SPREAD

1. **Fit and remove in seconds**
   Unique QuickSmart Attachment Frame allows operators to fit or remove QuickSmart compatible versions in seconds—no nuts, bolts or spanners!
2. **Heavy-duty steel frame**
   Featuring extra bracing for optimum strength and rigidity and is galvanised for maximum corrosion protection.
3. **Reliable 12-volt motor**
   Industrial strength 12-volt motor is powerful and reliable.
4. **Unique spinner disc design**
   Ensures a wider and more even broadcast pattern.

BEFORE PURCHASING ANY C-DAX PRODUCT PLEASE ENSURE THAT THE ATTACHMENT DOES NOT EXCEED THE CARRYING CAPACITY OF YOUR VEHICLE/ATV—REMEMBER 1 LITRE OF WATER=1 KG

SlugMaster

The C-Dax SlugMaster is a heavy-duty 12-volt broadcast spreader that has been specifically developed for spreading bait in arable cropping situations.

Features a spread pattern up to 24m wide for maximum coverage and efficiency. Reliable and ready to go when you need it, easily attached to your flat deck vehicle, or ATV using the C-Dax QuickSmart Attachment Frame system *(see page 16 for details)*.

NB: Does not come with QuickSmart Attachment Frame or Upright Mounts for Spreaders

SPECIFICATIONS:

- 12-volt
- 75 Litre capacity hopper
- Up to 24m spread width
- Applies 2.5–20 kg/ha
- Five application rate settings
- Weight: 30kg empty

COMES WITH:

- Wiring loom
- Remote shutter gate and spinner operation
- Snap shut hopper lid

1. Fit and remove in seconds

Unique QuickSmart Attachment Frame allows operators to fit or remove QuickSmart compatible versions in seconds—no nuts, bolts or spanners!

2. Heavy-duty steel frame

Featuring extra bracing for optimum strength and rigidity and is powder coated for maximum corrosion protection.

3. Remote spinner disc and shutter control

Allows the operator to control both the spinner disc and shutter gate without leaving the cab.

BEFORE PURCHASING ANY C-DAX PRODUCT PLEASE ENSURE THAT THE ATTACHMENT DOES NOT EXCEED THE CARRYING CAPACITY OF YOUR VEHICLE/ATV—REMEMBER 1 LITRE OF WATER=1 KG

QSA FOR SPRAY BOOM

QSA FOR SPREADER

QuickSmart Attachment Frame

C-Dax's QuickSmart Attachment Frame is a universal mounting system that allows implements to be inter-changed without the need for nuts, bolts and spanners.

The QuickSmart Attachment Upright Mounts for Sprayers allows you to easy attach your C-Dax boom to your QuickSmart Attachment Frame on your ATV in seconds.

The QuickSmart Attachment Upright Mounts for Spreaders allows you to easy attach your C-Dax SpreadMaster and SlugMaster to your QuickSmart Attachment Frame on your ATV in seconds.

SPECIFICATIONS:

- 5mm steel frame
- Weight: 6kg

COMES WITH:

- ATV mounting brackets and fittings

SPREAD

1. **Change implements without nuts, bolts or spanners!**
   Unique 'latch' design enables compatible products to be fitted or removed in seconds.
2. **Fits any ATV**
   Universal attachment brackets ensure the QuickSmart frame will fit any ATV!

BEFORE PURCHASING ANY C-DAX PRODUCT PLEASE ENSURE THAT THE ATTACHMENT DOES NOT EXCEED THE CARRYING CAPACITY OF YOUR VEHICLE/ATV—REMEMBER 1 LITRE OF WATER=1 KG